


REZNOR®



APPLICATIONS Space Heating

- » ENTRY WAYS
- » STAIRWELLS
- » HALLWAYS
- » GUARD HOUSES
- » FACTORIES
- » WORKSHOPS
- » GARAGES
- » TEMPORARY HEAT
- » RESIDENTIAL



Capacities



1 - 60

kW

ELECTRIC HEATERS

ReznorHVAC.com

Suspended Unit Heaters

Reznor Electric Unit Heaters cover a full range of applications and capacities. Cabinets use heavy gage steel finished in a semi-gloss powder coated baked enamel for an attractive finish that protects against rust.

Units feature high limit temperature controls, thermally protected motors, and metal sheathed heating elements with fins to maximize heat transfer.

Model EGHB - Heavy Duty, Suspended, Electric Unit Heater

- Stainless steel tubular or finned element
- 58 - 77 dBA (3.48 - 13.00 Sone)
- Optional built-in thermostat
- Horizontal wall or ceiling mounting brackets allow 360 degree rotation
- Vertical mounting using 4 threaded rods
- Optional diffuser cone



Model EGW - Workshop, Suspended Electric Unit Heater

- Quiet operation - 51 dBA (2.14 Sone)
- Totally enclosed factory-lubricated motor
- Built-in integral thermostat
- Mounting brackets for ceiling or wall mounting allow 360 degree rotation



Model EGP - Portable Heater with Wall Bracket

- 62.5 dBA (4.76 Sone)
- Handle/mounting bracket may be used as a reel for electric cable
- 6 ft molded electric cable
- Built-in integral thermostat
- 51°F temperature rise
- Wall or ceiling mounting allows 360 degree rotation



Model EGEB - Suspended Electric Unit Heater

- Line or 24 volt control options with or without relays
- Horizontal or vertical discharge airflow
- Wall and ceiling mounting brackets
- Protection grid behind louvers allows for lower mounting height
- Draw-through design coupled with unique geometric diffuser and adjustable louvers maximize air velocity and throw



Model EWHB - Wash Down Unit Heater

- Perfect for corrosive environments
- 16 gauge, stainless steel, moisture and corrosion resistant housing
- Nema 4X non-metallic electrical casing
- Power-on indicator light
- Anodized aluminum, delayed-action fan
- Totally enclosed motor, long-lasting lubrication
- Built-in capillary thermostat
- Wall or ceiling mounting brackets



SELECTION GUIDE

Model	Description	Heating Capacity Range (kW)	Air Volume Range (CFM)	Voltage										
				208/1	240/1	277/1	347/1	480/1	600/1	208/3	240/3	480/3	600/3	
EGEB	Standard Duty Unit Heater	3 - 20	310 - 1,300	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
EGHB	Heavy Duty Unit Heater	2 - 60	700 - 2,000	✓	✓	✓	✓	✓			✓	✓	✓	✓
EXUB	Explosion Resistant Unit Heater	5 - 30	400 - 3,000	✓	✓						✓	✓	✓	✓
EWHB	Wash Down Unit Heater	3 - 38	700 - 2,400	✓	✓						✓	✓	✓	
EGP	Portable Site Unit Heater	4	300		✓									
EGW	Suspended Workshop Unit Heater	2 - 5	300	✓	✓									

Model EXUB - Explosion Resistant Heater

- ▶ T3B 329°F class I and II temperature code rating
- ▶ Approved locations
 - » Class I, Divisions 1 & 2, Groups C & D, T3B
 - » Class II, Divisions 1 & 2, Groups F & G, T3B
 - » Class I, Zones 1 & 2, Groups IIA and IIB, T3
- ▶ Metal sheathed heat exchanger elements immersed in ethylene glycol/water solution
- ▶ Wall, ceiling or pole mounting brackets
- ▶ 14-gauge steel cabinet
- ▶ Pressure Relief Valve
- ▶ Two high-limit thermal cutouts
- ▶ Explosion resistant, thermally-protected, factory-lubricated motor



Wall and Ceiling Mounted Heaters



The Reznor line offers attractive finishes that blend in with the décor. Quiet fans efficiently distribute heat evenly to the space. Most have options to be mounted either on the surface (great for masonry walls) or recessed for space savings and unit protection.

Whatever your application, there is a Reznor wall or ceiling mount unit that can handle it.

Units feature high limit temperature control, durable tubular heating elements and factory lubricated motors.

Models ECR and ECS - Ceiling Electric Heaters

- Epoxy/polyester powder paint finish - white, almond, metallic silver, bronze, metallic charcoal, textured black, beige-grey or aluminum
- Optional built-in, tamper-proof thermostat
- Optional fan only switch
- Optional ceiling recessed mounted into T-bar ceiling (Model ECR)
- Ceiling surface mounted (Model ECS)
- ECS - 56.5 dBA (3.14 Sone); ECR 54.6 dBA (2.75 Sone)

Model EHA - Architectural Wall Heater

- Epoxy/polyester powder paint finish - white, almond, metallic silver, bronze, metallic charcoal, textured black, beige-grey or aluminum
- Quiet operation - 55.8 dBA (2.99 Sone)
- Built-in thermostat (32°-120°F)
- Optional adaptor for surface mounting



Model EHL - Light Commercial/Residential Wall Heater

- Epoxy/polyester powder paint, white or almond finish
- Quiet - 38-41.3 dBA (0.87-1.09 Sone)
- Built-in thermostat with control knob
- Surface or recessed mounting
- Can be mounted vertically or horizontally in places where space is a premium



Model EHC - Institutional, Wall Mounted, Electric Heaters

- Epoxy/polyester powder paint white or almond finish (custom colors available on request)
- 55.8 dBA (2.99 Sone)
- Integral thermostat (32 - 120°F), with removable knob for tamper-proof operation
- Surface or recessed mounting



SELECTION GUIDE

Model	Description	Heating Capacity Range (kW)	Air Volume Range (CFM)	Voltage											
				120/1	208/1	240/1	277/1	347/1	480/1	600/1	208/3	240/3	480/3	600/3	
ECS	Ceiling Surface Mounted	2 - 10	450 - 700		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
ECR	Ceiling Recessed Mounted	2 - 10	450 - 7000		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
EMC	Cabinet Heater	2 - 24	250 - 1,000		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
EHC	Wall Mount Heater	1 - 12	160		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
EHL	Wall Mount Heater	1 - 2	40 - 80	✓		✓									
EHA	Architectural Wall Mount	1 - 5	160		✓	✓	✓		✓						

Model EMC - Wall or Ceiling Mounted Cabinet Heaters

- ▶ Epoxy/polyester powder paint finish - white, almond, metallic silver, bronze, metallic charcoal, textured black, beige-grey or aluminum
- ▶ Extruded aluminum grill prevents insertion of foreign objects
- ▶ Optional fresh inlet air damper
- ▶ Optional air filters
- ▶ Quiet operation - 50 dBA (2.00 Sone) at high speed; 48 dBA (1.74 Sone) at low speed
- ▶ Wide range of optional control options
- ▶ Mounting options
 - » Surface, recessed or semi-recessed mounting
 - » Color matching trim kit for recessed or semi-recessed units
 - » Factory painted, finished back panel for mounting on glass walls

